



TECHNICAL INFORMATIONTODD MORGUE TABLE RECEPTOR 5000

DST 216

The Morgue Table Receptor 5000 is a continuous rinsing rim direct drain system for waste removal at the foot end of the table.

FEATURES

Ultra space-saving, compact design fits easily into both new and retrofit projects

Continuous incoming water supply keeps drain line clear and reduces airborne particulates

Built-in pressure-reducing device helps maintain recommended PSI, easily removable if desired

Cabinet mounted for easy floor cleaning


Removable 3" round strainer sleeve with easy-lift handle captures cotton and other large waste

SPECIFICATIONS

Manufactured from 16-gauge stainless steel

Weight: 10 lbs

Recommended mounting height: 26" above floor to top of the unit



p 1 of 3

TODD MORGUE TABLE RECEPTOR 5000 DST 216

INSTALLATION

Unit is pre-plumbed and ready to mount with 4 fasteners, supplied

Mount unit on a 32" wide fixed panel

One .5" flexible cold water connection from angle stop

One 2" waste line with p-trap connected directly to facility waste line

Supplied with mounting hardware, template, and installation instructions

Install in accordance with all applicable codes

Clean out all plumbing lines prior to startup

REQUIREMENTS FOR CODE COMPLIANCE

Reduced-pressure backflow preventers required on cold water line

Mark piping to Todd MTR 5000 non-potable per plumbing code requirements



TODD MORGUE TABLE RECEPTOR 5000 DST 216

SCHEMATIC RISER DIAGRAM - TODD MTR 5000 DST 216

